



# EINTAC

Expert in **safe-working**  
on **electric vehicles**

✉ sales@eintac.com

🌐 www.eintac.com

☎ +44 (0)1376 525606



**PART No.**

**EHV-PLATINUM**

## Platinum Insulated Tool Kit

Features smooth, 25mm ball bearing draw runners, side handle, cylinder lock and for additional security, rear locking bars to secure drawers when not in use.

Tools insulated according to IEC 60900, usable up to 1000V AC / 1500V DC.

### **KIT CONTENTS:**

- // INSULATED REVERSIBLE RATCHET 3/8" SQ DR
- // INSULATED REVERSIBLE RATCHET 1/2" SQ DR
- // INSULATED EXTENSION BAR 3/8" SQ DR 125mm LONG
- // INSULATED EXTENSION BAR 1/2" SQ DR 125mm LONG
- // INSULATED EXTENSION BAR 3/8" SQ DR 250mm LONG
- // INSULATED EXTENSION BAR 1/2" SQ DR 250mm LONG
- // INSULATED ADJUSTABLE SPANNER, MAX JAW OPENING 29mm
- // INSULATED ADJUSTABLE SPANNER, MAX JAW OPENING 38mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 6mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 8mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 10mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 11mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 12mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 13mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 14mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 15mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 16mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 17mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 19mm
- // INSULATED SOCKET 3/8" SQ DR 6pt 21mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 8mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 10mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 11mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 12mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 13mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 14mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 15mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 16mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 17mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 18mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 19mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 20mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 21mm
- // INSULATED SOCKET 1/2" SQ DR 6pt 22mm
- // INSULATED SCREWDRIVER SLOTTED 0.6 x 2.8 x 75mm
- // INSULATED SCREWDRIVER SLOTTED 0.8 x 4 x 100mm
- // INSULATED SCREWDRIVER SLOTTED 1 x 5.5 x 150mm
- // INSULATED SCREWDRIVER POZIDRIVE 1 x 80mm
- // INSULATED SCREWDRIVER POZIDRIVE 2 x 100mm
- // INSULATED COMBINATION PLIERS 180mm
- // INSULATED LONG NOSE PLIERS 160mm
- // INSULATED SIDE CUTTER PLIERS 160mm

The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.



# EINTAC

Expert in **safe-working**  
on **electric vehicles**

✉ sales@eintac.com

🌐 www.eintac.com

☎ +44 (0)1376 525606



PART No.

**EHV-PLATINUM**

## Platinum Insulated Tool Kit

### KIT CONTENTS:

- // INSULATED ALLEN KEY SOCKET 3/8" SQ DR 4mm
- // INSULATED ALLEN KEY SOCKET 3/8" SQ DR 5mm
- // INSULATED ALLEN KEY SOCKET 3/8" SQ DR 6mm
- // INSULATED ALLEN KEY SOCKET 3/8" SQ DR 8mm
- // INSULATED ALLEN KEY SOCKET 3/8" SQ DR 10mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 4mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 5mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 6mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 7mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 8mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 9mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 10mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 12mm
- // INSULATED ALLEN KEY SOCKET 1/2" SQ DR 14mm
- // INSULATED OPEN ENDED SPANNER 6mm
- // INSULATED OPEN ENDED SPANNER 7mm
- // INSULATED OPEN ENDED SPANNER 8mm
- // INSULATED OPEN ENDED SPANNER 9mm
- // INSULATED OPEN ENDED SPANNER 10mm
- // INSULATED OPEN ENDED SPANNER 11mm
- // INSULATED OPEN ENDED SPANNER 12mm
- // INSULATED OPEN ENDED SPANNER 13mm
- // INSULATED OPEN ENDED SPANNER 14mm
- // INSULATED OPEN ENDED SPANNER 15mm
- // INSULATED OPEN ENDED SPANNER 16mm
- // INSULATED OPEN ENDED SPANNER 17mm
- // INSULATED OPEN ENDED SPANNER 18mm
- // INSULATED OPEN ENDED SPANNER 19mm
- // INSULATED RING SPANNER 6mm
- // INSULATED RING SPANNER 7mm
- // INSULATED RING SPANNER 8mm
- // INSULATED RING SPANNER 9mm
- // INSULATED RING SPANNER 10mm
- // INSULATED RING SPANNER 11mm
- // INSULATED RING SPANNER 12mm
- // INSULATED RING SPANNER 13mm
- // INSULATED RING SPANNER 14mm
- // INSULATED RING SPANNER 15mm
- // INSULATED RING SPANNER 16mm
- // INSULATED RING SPANNER 17mm
- // INSULATED RING SPANNER 18mm
- // INSULATED RING SPANNER 19mm
- // INSULATED RING SPANNER 20mm
- // INSULATED RING SPANNER 21mm
- // INSULATED RING SPANNER 22mm
- // INSULATED P HANDLE ALLEN KEY, 2mm
- // INSULATED P HANDLE ALLEN KEY, 3mm
- // INSULATED P HANDLE ALLEN KEY, 4mm
- // INSULATED P HANDLE ALLEN KEY, 5mm
- // INSULATED P HANDLE ALLEN KEY, 6mm

The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.



# EINTAC

Expert in **safe-working**  
on **electric vehicles**

✉ sales@eintac.com

🌐 www.eintac.com

☎ +44 (0)1376 525606



**PART No.**

## **EHV-PLATINUM**

# Platinum Insulated Tool Kit

### **KIT CONTENTS:**

- // INSULATED ANGLED ALLEN KEY 2.5mm
- // INSULATED ANGLED ALLEN KEY 3mm
- // INSULATED ANGLED ALLEN KEY 4mm
- // INSULATED ANGLED ALLEN KEY 5mm
- // INSULATED ANGLED ALLEN KEY 6mm
- // INSULATED ANGLED ALLEN KEY 8mm
- // INSULATED ANGLED ALLEN KEY 10mm
- // INSULATED ANGLED ALLEN KEY 12mm
- // INSULATED TORX SCREWDRIVER T10
- // INSULATED TORX SCREWDRIVER T15
- // INSULATED TORX SCREWDRIVER T20
- // INSULATED TORX SCREWDRIVER T25

- // INSULATED TORX SCREWDRIVER T27
- // INSULATED TORX SCREWDRIVER T30
- // INSULATED TORQUE WRENCH 3/8" 5-50Nm
- // INSULATED TORQUE WRENCH 1/2" 40-220Nm
- // INSULATED CABLE CUTTERS (MAX 50mm<sup>2</sup>)
- // INSULATED CABLE CORING KNIFE
- // INSULATED GEAR WRENCH SPANNER 8mm
- // INSULATED GEAR WRENCH SPANNER 10mm
- // INSULATED GEAR WRENCH SPANNER 13mm
- // INSULATED GEAR WRENCH SPANNER 15mm
- // INSULATED GEAR WRENCH SPANNER 17mm
- // INSULATED GEAR WRENCH SPANNER 19mm

### **DRAWER ROLL CAB TOOL BOX WITH BALL BEARING RUNNERS**

Manufactured with double skin side walls for extra strength. Finished in smooth high gloss, triple baked enamel. Resists scratches, oil, dirt and most solvents. Drawers run on 25mm ball bearing runners and drawer faces have full length pulls with chrome style trim. All rollcabs and tool chests are supplied with tumbler type security locks complete with two numbered keys. The roller cabinet's and tool box' mobility are very good due to the hard rubber compound castors with two fixed and two lockable.

### **DIMENSIONS (mm)**

Overall Size: [W: 618, D: 330, H: 830]

Medium Drawer: [W: 512, D: 305, H: 80]

Small Drawer: [W: 512, D: 305, H: 45]

The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.

**EQUIPMENT TRAINING**