



EINTAC

Expert in **safe-working**
on **electrical systems**

✉ sales@eintac.com

🌐 www.eintac.com

☎ +44 (0)1376 525606



PART No.

EHV-TXS###

Insulated Torx Screwdriver

DESCRIPTION

- // Oversized ergonomic, anti-slippery, bi-material handle offers optimal grip for avoiding slippage
- // Chrome-Vanadium-Molybdenum alloy enables 30% higher tightening torque
- // The innovative anti-slippery and magnetic tip system allows an easier and safer positioning of the screwdriver, avoiding undesired slides
- // Type and size double marking allowing easy identification of the desired screwdriver
- // Go-through hole in the handle enables tommy bar use

PART NO.	SIZE	BLADE LENGTH (mm)	TOTAL LENGTH (mm)	WEIGHT (g)
EHV-TXS906	T6	50	135	50
EHV-TXS907	T7	50	135	50
EHV-TXS908	T8	50	135	50
EHV-TXS909	T9	75	160	50
EHV-TXS910	T10	75	160	50
EHV-TXS915	T15	75	180	50
EHV-TXS920	T20	100	205	50
EHV-TXS925	T25	100	205	50
EHV-TXS927	T27	115	220	200
EHV-TXS930	T30	125	240	200
EHV-TXS940	T40	125	255	200
EHV-TXS945	T45	150	280	200
EHV-TXS950	T50	175	305	200

INSULATION

Insulated according to IEC 60900
Usable up to 1000V AC / 1500V DC



These screwdrivers are also available as part of a kit.

The information provided in this document is for general guidance only. The specifications provided are from the manufacturers information. This document is not intended as a substitute for and is not to be used for determining the suitability or reliability of these products for specific user applications. It is the duty of any such user to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. EINTAC Ltd shall not be responsible or liable for misuse of the information contained herein.